

## **SESSION POSTER**

### **1.Two cases of Klinefelter's syndrome with an intractable leg ulcers**

Yukiko YOSHIDA、Shinichi SEZAKI\*、Kanako MITSUDA、Noriko YASUDA、Atsuo NAKANO、Satsuki TANAKA、Kouji MAEDA、Mitsuyo SHINTANI、Haruo NISHIMURA

### **2.Evaluation of treatment effects in knee OA by bone marrow lesions(BML) on MRI**

Masashi HONJO<sup>1</sup>, Kanji SHICHIKAWA<sup>2</sup>, Takashi MORIMOTO<sup>2</sup>

### **3.Virtual anatomy of the spinal disorders by using 3-D MRI, 3-D CT and Work station**

Junji KAMOGAWA, Sanshirou SHIRAISSI

### **4. Serial MR images of grafts after ACL reconstruction using hamstring tendons**

Takeshi KOMATSU, Hideki SAKANAKA, Hiroyuki GOTANI, Hidetoshi TERAURA, Ryu ONISHI, Koji TAMAI, Takanori TERAOKA, Keisuke SUZUKI, Yoshiki YAMANO

### **5. Operative outcome of dual SC screw for femoral neck fracture**

**with minimal displacement** Soya NAGAO, Sayaka MOTOJIMA\*, Nobumasa KIYOTAKI, Masahiro NAGAOKA, Yasuaki TOKUHASHI\*

### **6.Fatal pulmonary embolism after surgery for clavicle fracture: a case report**

Shogo SOBUE<sup>1</sup>, Takefumi KAKETA<sup>1</sup>, Katsutoshi NOIKE<sup>1</sup>, Toshihito ONDA<sup>2</sup>, Yoshimasa TOMITA<sup>3</sup>, Sung Gon KIM<sup>4</sup>, Masahiko NOZAWA<sup>4</sup>

### **7.Minimally invasive arthroscopic-assisted surgery of calcaneal fractures**

Takeshi OGAWA, Hiroshi AMANO, Takahide MIYAMA, Koji YAMAMOTO

### **8.Clinical results and surgical complications of distal radius**

**fractures** Katsutoshi NOIKE<sup>1</sup>, Shogo SOBUE<sup>1</sup>, Takafumi KAKETA<sup>1</sup> Yoshimasa TOMITA<sup>2</sup>, Kouichi KUSUNOSE<sup>3</sup>, Masahiko

### **9.Three cases of the hook of hamate fracture using a minimum**

**invasive technique with Acutrack mini screw** Taisuke SATO, Toshiya KUDO, Kouichi KUSUNOSE, Kentaro ARITOMI, Yoshimasa TOMITA, Kazuo KANEKO

### **10.Techniques and complications of endoscopic trigger finger release**

Naohide TAKIGAWA, \*Muneaki ABE, Hiromitsu MORIUCHI, Muneki ABE, Kenji YASUI

**11.Reconstruction with Frozen Autograft Treated by Liquid Nitrogen after Excision of Malignant Giant Cell Tumor in the Distal Radius: A Case Report** Yoshimasa TOMITA<sup>1</sup>, Katsutoshi NOIKE<sup>2</sup>, Koichi KUSUNOSE<sup>3</sup>, Katsuo SHITOTO<sup>4</sup>, Kazuo KANEKO<sup>5</sup>

**12.Minimally invasive plate osteosynthesis for distal radius fractures with a volar locking plate - Comparison with conventional open reduction and internal fixation -** Kazushige GAMO, Ayako UESUGI, Keiichiro OURA, Kohji KURIYAMA, Masayuki HAMADA, Hideo KAWAI

**13.The new method of the reduction technique for the phalanx fractures of children (Double Joy Stick Method)** Norio HAGIWARA, Fumio HASHIMOTO, Takuya NAKAMURA, Kennshaku HASHIBA, Tomoyuki AKAMARU, Kazuya SSHINMURA, Masaru IKENO

**14.Clinical outcome of limb-salvage reconstruction using constrained total hip megaprosthesis after resection of periacetabular malignant tumors** T. UEDA<sup>1</sup>, S. KAKUNAGA<sup>1</sup>, S. TAKENAKA<sup>2</sup>, N. NAKA<sup>3</sup>, N. HASHIMOTO<sup>2</sup>, K. HAMADA<sup>3</sup>, S. JOYAMA<sup>3</sup>, I. KUDAWARA<sup>1</sup>, A. MYOUI<sup>2</sup>, N. ARAKI<sup>3</sup>, H. YOSHIKAWA<sup>2</sup>

**15.A hybrid reconstruction using endoprosthesis and pedicle frozen auto-bone graft treated with liquid nitrogen for malignant bone tumor in the femur** Tomoaki TORIGOE, Yoshiyuki SUEHARA, Taketo OUKUBO, Tatsuya TAKAGI, Kazuo KANEKO

**16 .High-grade surface osteosarcoma in the femur reconstructed with a liquid nitrogen-treated autograft** Shuichi MORIYA, Tomoaki TORIGOE, Tatsuya TAKAGI, Hideo KOBAYASHI, Akira SAKURAI, Samii BANNO, Ryo SADATSUKI, Kazuo KANEKO

**17.An evaluation of “squeaking hips” in ceramic-on-ceramic THAs** Chiho SUZUKI, Satoshi IIDA, Satoshi MAKI

**18..Wear of highly cross-linked polyethylene in total hip arthroplasty with 32-mm femoral head** M. SAITO, K. UESHIMA, M. FUJIOKA, Y. NISHIKUBO, S. INOUYE, T. KUBO

**19.Treatment of infected ingrown toe-nails with memory-shaped alloy wires** K. KADONO\*, Y. TANAKA\*\*, A. KIDO\*\*, A. TANIGUCHI\*\*, T. MATSUDA\*\*

**20.Clinical outcome of limb-salvage reconstruction using constrained total hip megaprosthesis after resection of periacetabular malignant tumors** T. UEDA<sup>1</sup>, S. KAKUNAGA<sup>1</sup>, S. TAKENAKA<sup>2</sup>, N. NAKA<sup>3</sup>, N. HASHIMOTO<sup>2</sup>, K. HAMADA<sup>3</sup>, S. JOYAMA<sup>3</sup>, I. KUDAWARA<sup>1</sup>, A. MYOUI<sup>2</sup>, N. ARAKI<sup>3</sup>, H. YOSHIKAWA<sup>2</sup>

**21.Mid-term results of the cementless CLS stem** Tomokazu YOSHIDA,  
\*\*Yuji YASUNAGA, \* Takuma YAMASAKI, \*Mitsuo OCHI

**22.Contribution of EOS stereo radiographic system to acetabular navigation in total hip arthroplasty:a new approach for acquisition of the anterior pelvic plane** Anselme Billaud, Alain Durandeau, Thierry Fabre

**23.Clinical results of minimally invasive total hip arthroplasties using cementless modular neck stems** Yoshinari FUJITA, Takeshi NOMURA, Shinichi UCHIKAWA, Atsushi FUNAYAMA, Yoshiaki TOYAMA

**24.Six cases of the hip joint dislocation after total hip arthroplasty by posterolateral approach** Hiraku HOTTA, Ukei ANAZAWA, Tateru SHIRAISHI

**25.Total hip arthroplasty with cemented proximal replacement stem for deep infection** Naofumi OKAMOTO, Hirokazu IIDA, Taketoshi KUSHIDA, Tomohisa NAKAMURA, Kenichi OE, Taku ASADA, Takahiko WADA, Hirohiko TOKUNAGA

**26.The concerning with sectional metal ions levels and histological changes in the patients diagnosed of adverse reactions to metal debris after metal-on-metal total hip arthroplasties** Toru YAMAKAWA

**27.Short-term results of revision THA using cementless cup** Yusaku OKAMOTO, Hiroshi KAGIYAMA, Masuhiro TOMITA

**28.A comparison of analogue vs digital templating for preoperative planning of primary total hip arthroplasty. : A prospective study of 44 hips** Toshie SASAKI Takao KODAMA

**29.The discrepancy of preoperative templating and implant size in THA** Kazumi ITO, Shuji SOUMA, Kazuhiro OINUMA, Hideaki SHIRATSUCHI

**30.Pathogenesis of primary osteoarthritis of the hip: long term clinical follow up** Takeshi MORIMOTO, Yasunori SHIMAOKA, Masao YUKIOKA, Kanji SHICHIKAWA

**31.Three-dimensional gait analysis of patients who underwent total hip arthroplasties using transtrochanteric approach** Hiroyuki MAKITA<sup>1)</sup>, Rika SHIGEEDA<sup>1)</sup>, Makoto OKOCHI<sup>1)</sup>, Takashi ISHIDA<sup>1)</sup>, Tomoyuki SAITO<sup>2)</sup>

**32.Periprosthetic fracture of femur after total hip arthroplasty** Yuri YABUKI<sup>1)</sup>, Shigeru YANAGIMOTO<sup>2)</sup>

**33.Efficacy of total knee arthroplasty in patients with established rheumatoid arthritis** Yumino NOBUHARA

**34.Knee flexion and extension power -More than 3 years after anterior cruciate ligament reconstruction using hamstring grafts-**

Hiroki SAKAI, Akihiro TSUCHIYA, Izumi KANISAWA, Kenji TAKAHASHI, Tomonori NAGAMINE , Tatsuya TAMAKI

**35.Comparison of in vivo kinematics during deep knee bending between fixed bearing and mobile bearing posterior stabilized total knee arthroplasty** Masashi TAMAKI<sup>1</sup>, Tetsuya TOMITA<sup>2</sup>, Shigeyoshi TSUJI<sup>3</sup>, Takaharu YAMAZAKI<sup>4</sup>, Kazuma FUTAI<sup>1</sup>, Yasuo KUMUGIZA<sup>2</sup>, Kunihiko KAWASHIMA<sup>1</sup>, Norimasa SHIMIZU<sup>1</sup>, Hideki YOSHIKAWA<sup>2</sup>, Kazuomi SUGAMOTO<sup>1</sup>

**36.Minimally invasive total knee arthroplasty using trivector retaining approach** Takashi MIYAMOTO, Masashi TAMAKI, Takafumi UEDA

**37.Hemangioma of the patella: A case report of pathological fracture** Shunsuke NISHIMOTO, Hiroshi AMANO, Takahide MIYAMA, Koji YAMAMOTO, Nobuyuki HASHIMOTO

**38.The relation between maximum pelvic tilt angle in frontal plane and maximum knee extension moment during one leg squat** Kouichi MORIGUCHI

**39.Clinical and radiographic results of minimally invasive total knee arthroplasty** Hideo KOBAYASHI<sup>1)</sup>, Naoto MITSUGI<sup>1)</sup>, Naoya TAKI<sup>1)</sup>, Yasushi AKAMATSU<sup>1)</sup>, Hirohiko OTA<sup>1)</sup>, Kenichiro TANAKA<sup>1)</sup>, Tomoyuki SAITO<sup>2)</sup> )

**40.Clinical results of MIS-TKA with Flexible Nichidai Knee-Comparison with conventional and MIS TKA** - Nobumasa KIYOTAKI, Shu SAITO\*, Gen SUZUKI, Soya NAGAO, Yasuaki TOKUHASHI

**41.Postoperative Evaluation of PCL in CR-TKA** Shinichi FUKUOKA<sup>1)</sup>,  
Toshiaki MASADA<sup>1)</sup>, Kei TANIURA<sup>2)</sup>, Hiroyuki TANAKA<sup>2)</sup>, Takeharu SASAKI<sup>2)</sup>, Kunio  
TAKAOKA<sup>1)</sup>

**42.Patellar resurfacing compared with nonresurfacing in total knee arthroplasty for patients with rheumatoid arthritis** Shinichi MIZUKI,  
Fumihiko KONISHI, Kazuo KAMADA

**43.Strength and postural stability after anterior cruciate ligament reconstruction** Ryoko NOMIYA<sup>1)</sup>, Kenji SATO<sup>1)</sup>, Izumi KANISAWA<sup>2)</sup>, Akihiro  
TSUCHIYA<sup>2)</sup>, Hideaki SHIRATSUCHI<sup>2)</sup>

**44.Muscle strength recovery after MIS-TKA through Midvastus approach or Trivector Retaining approach** Takao KODAMA, Yuto OGAWA,  
Toshie SASAKI, Yukihiko OBARA

**45.Simultaneous MCL Reconstruction using Autogenous Hamstring Graft with ACL Reconstruction for Combined Grade III MCL and ACL Injury** Tomohiro TOMIHARA, Gen YOSHIDA, Masatoshi TANIUCHI, Yoshinobu  
MATSUDA, Nagakazu SSHIMADA

**46.Two cases report of arthroscopic excision for painful bipartite patella; -Confirmation of early recovery by measuring the muscle strength-** Mitsuhuko KUBO, Kazuhiro UENAKA, Yoshitaka MATSUSUE

**47.A comparison between over-the-top laminoplasty and laminotomy to lumbar canal stenosis by VAS score of JOA BPEQ at our hospital.** Hidehisa TORIKAI, Masatoshi INOUE, Hirotaka MURAKAMI

**48.Experience of using “Karayahesive” as hydrocolloid wound dressing following spine surgery** Makoto URUSHIBARA

**49.Clinical output and life prognosis of the patients with rheumatoid arthritis with mutilating-type joint involvement managed by surgical or non-surgical treatment for their grave cervical lesions** Kanji MORI,  
Shinji IMAI, Yasuo SARUHASHI, Kazuya NISHIZAWA, Yoshitaka MATSUSUE

**50.Clinical outcomes of surgical treatments for postoperative deep wound infection after spinal instrumentation surgery** Taketoshi  
KUSHIDA, Takanori SAITO, Atsushi IKEURA, Naofumi OKAMOTO, Masayuki UMEDA,  
Hirokazu IIDA , .

**51. Outcome of radiotherapy for metastatic spinal tumors** Atsushi IKEURA, Taketoshi KUSHIDA, Masayuki UMEDA, Takanori SAITO, Naofumi OKAMOTO, Hirokazu IIDA

**52. Thoracic spine fracture dislocation Technical notes and a case report** Masao OKAMOTO, Masahiro OKADA, Hisashi OHTSUKA

**53. A selective release of cervical muscles for cervical spondylotic myelopathy in patients with athetoid cerebral palsy** Atsushi MATSUO, Tetsuo KANNO, Takashi MATSUO

**54. Anomaly of great vessels in the anterior aspect of lumbar region -A case report-** Kiyoshi SUGIMOTO

**55. Patients with malignancy who visited to a hospital with an initial complaint of a back pain** Hideto OBATA

**56. Diagnosis of pyogenic spondylodiscitis without typical features on magnetic resonance imaging** Risako YAMAMOTO, Shozui TAKEMOTO, Shigeo JOJI, Naoki SUGITA, Mitsuru MOTOYAMA

**57. Staged Scoliosis Surgery without blood transfusion in Jehovah's Witnesses A two-cases report** Kenta FUJIWARA<sup>1</sup>, Akihiro KIN<sup>1</sup>, Ichiro Baba<sup>1</sup>, Atsushi Nakano<sup>1</sup>, Futoshi MURAKOSHI<sup>1</sup>, Mitsuhiro YOMODA<sup>1</sup>, Yoshitaka KUROKAWA<sup>1</sup>, Mitsuo KINOSHITA<sup>1</sup>, Yoshihiro SEMOTO<sup>2</sup>

*The POSTER Presentation take place in Salon ROYAT (3 computers opened from 8 am till 6 pm (Friday) and from 8 am till 12 am (Saturday)*

***Every poster should contain 10 to 12 slides under shape Power point.***

